

**SAFETY DATA SHEET**  
**VIVAK® Sheet**

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/ UNDERTAKING**

Trade Name: VIVAK® Sheet

Other Name(s): PETG Copolyester Sheet

Usage: Plastic sheet products

Supplier: Plaskolite, LLC.  
400 West Nationwide Boulevard, Suite 400, Columbus, Ohio 43215, USA  
Telephone: 800-848-9124  
www.plaskolite.com

Emergency Telephone: 800-848-9124

**2. HAZARDS IDENTIFICATION**

**This material is classified as not hazardous under OSHA regulations.** Under normal conditions of use, this product is not expected to create any unusual industrial hazards. Irritating gases/fumes may be given off during burning or thermal decomposition. Contact with hot material will cause thermal burns.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Characterization: 100% PETG Copolyester [Proprietary]

**4. FIRST AID MEASURES**

Inhalation: Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

Skin Contact: Cool melted product on skin with plenty of water. Do not remove solidified product. Get medical attention if thermal burn occurs.

Eye Contact: In case of contact, flush eyes with plenty of lukewarm water.

Ingestion: Get medical attention.

**5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media: Dry water fog, dry chemical, carbon dioxide (CO2)

Specific Fire Hazards: Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

Special Protective Equipment &  
Precaution for Fire Fighters: Wear a self-contained breathing apparatus and chemical protective clothing.

**6. ACCIDENTAL RELEASE MEASURES**

Personal Precaution: If molten, allow material to cool and place into an appropriate marked container for disposal. Do not breathe vapors or dust.

**SAFETY DATA SHEET**  
**VIVAK® Sheet**

Environmental Precaution: Do not release into the environment, such as into drains.

Methods for Cleaning Up: Sweep up and shovel into suitable containers for disposal.

**7. HANDLING AND STORAGE**

Max. Storage Temperature: 120°F (49°C)

Handling: Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Avoid creating dust.

Storage: Containers should be tightly closed to prevent contamination with foreign materials and moisture. Protect equipment (e.g. storage bins, conveyors, dust collectors) with explosion vents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure Limits: Not applicable

Ventilation Measures: Provide good ventilation and/or an exhaust system in the work area.

Respiratory Protection: In the case of dust, use respirator with an approved filter.

Hand Protection: Wear heat resistant gloves when handling molten material.

Eye Protection: Safety glasses with side-shields

Skin & Body Protection: No special skin protection requirements during normal handling and use.

Other Protective Measures: Wash hands before breaks and after work. Educate and train employees in the safe use and handling of this product. Purgings should be collected as small flat thin shapes or thin strands to allow for rapid cooling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Solid sheets  
Color: Transparent  
Odor: Odorless  
pH: Not applicable  
Melting Point: Not available  
Boiling Point: Not available  
Decomposition Temperature: 716°F (380°C) approx..  
Flash Point: > 842°F (> 450°C)  
Auto-ignition Temperature: 880°F (471°C)  
Explosion Limits: Not available  
Evaporation Rate: Not applicable  
Vapor Pressure: Not applicable  
Vapor Density: Not applicable  
Relative Density: 1.27  
Solubility: Insoluble

**SAFETY DATA SHEET**  
**VIVAK® Sheet****10. STABILITY AND REACTIVITY**

Stability:	Stable. Hazardous polymerization does not occur.
Conditions to Avoid:	Protect from excessive heat. Keep away from sources of ignition and heat. Avoid dust formation.
Materials to Avoid:	None under normal conditions of use.
Hazardous Decomposition Products:	Thermal decomposition or combustion may emit vapors, carbon monoxide, or carbon dioxide.

**11. TOXICOLOGICAL INFORMATION**

This product should not be harmful under normal conditions of use.

Inhalation:	Unlikely to be harmful by inhalation under ambient temperature. At high temperature, products of thermal decomposition can be irritating to the respiratory system.
Skin Contact:	Not a skin sensitizer, and is non-irritating to skin under ambient temperature. At high temperature, contact with the product can cause serious burns.
Ingestion:	Unlikely to be harmful by ingestion under ambient temperature.
Eye Contact:	This product in the form of dust can be irritating to the eyes. At high temperature, products of thermal decomposition can be irritating to the eyes.
Carcinogenity:	Non-carcinogenic
Toxicity Data:	Acute oral toxicity LD50 = > 3,200 mg/kg (rat, male) Acute oral toxicity LD50 = > 3,200 mg/kg (mouse, male) Acute dermal toxicity LD50 = > 1,000 mg/kg (guinea pig) Skin irritation = slightly irritating (guinea pig) Eye irritation = slightly irritating (rabbit) Eye irritation = non-irritating (guinea pig)

**12. ECOLOGICAL INFORMATION**

This product is a solid, inert product with low volatility, and is essentially insoluble in water.

Ecotoxicity:	This product should have low toxicity to aquatic and terrestrial organisms.
Mobility:	Due to the solid nature of this product, it should have low mobility in soil.
Persistence & Degradability:	This product is non-biodegradable.
Bioaccumulation:	This solid product has a low potential for bioaccumulation.
Effect in Sewage Plants:	May be separated mechanically.

**SAFETY DATA SHEET**  
**VIVAK® Sheet**

Ecological Data: Fish toxicity LC50/96-hr = > 100 mg/l (pimephales promelas)  
Aquatic invertebrates toxicity LC50/96-hr = > 100 mg/l (daphnia magna)

**13. DISPOSAL CONSIDERATIONS**

Waste disposal should be in accordance with all federal, state and local environmental laws and regulations.

**14. TRANSPORT INFORMATION**

Not subject to national and international regulations on the transport of dangerous goods.

**15. REGULATORY INFORMATION**

OSHA Hazard Communication: Non-hazardous

Toxic Substances Control Act: Listed

CERCLA Hazardous  
Substances (40 CFR 302): None

SARA Section 311/312: Non-hazardous

SARA Section 313 Toxic  
Chemicals (40 CFR 372.65): None

RCRA Hazardous Wastes  
(40 CFR 261): When this product becomes a waste, it is identified as a solid but NOT hazardous waste under RCRA criteria (40 CFR Part 261)

California Proposition 65: This product does not require a warning about chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.

**16. OTHER INFORMATION**

SDS Prepared By: Plaskolite Environmental, Health & Safety  
SDS Original Date of Preparation: July 31, 2012  
SDS Revision Date: February 10, 2023

The information presented herein is believed to be factual and reliable. It is offered in good faith, but without guarantee, since conditions and methods for the use of our products are beyond our control. We recommend that the prospective user determine the suitability of our products and these suggestions before adopting them on a commercial scale.

Filename: SDS - Vivak Sheet.doc